L Number	Hits	Search Text	DB	Time stamp
1	1	5987460.pn. AND summar\$5	USPAT;	2004/03/18 14:53
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
,	2	5826261.pn. AND quer\$4 \	USPAT;	2004/03/18 14:53
2	2	3020201.pn. AND quei\$4 \	EPO; JPO;	2004/03/10 14:33
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
			DERWENT;	
			IBM_TDB	
-	745515	hitachi.as.	USPAT;	2003/08/05 13:50
			EPO; JPO;	,
			DERWENT;	
1		·	IBM_TDB	
-	229	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT;	2003/09/29 13:34
ľ l		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
	7	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1))	USPAT:	2003/09/30 13:26
-	,		· ·	2003/09/30 13.20
1		AND (merg\$4)	EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	0	morgernstein.in. AND (common NEAR2 format\$1)	USPAT;	2003/08/05 15:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0	morgernstein.in. AND SGML	USPAT;	2003/08/05 15:05
	ŭ	morgomotom.m.r.t.b o o.m.z	EPO; JPO;	
			DERWENT;	
1				·
			IBM_TDB	2002/00/05 45.00
-	0	morgernstern.in. AND SGML	USPAT;	2003/08/05 15:06
			EPO; JPO;	
l .			DERWENT;	
l i			IBM_TDB	
-	. 3	morgenstern.in. AND SGML	USPAT;	2003/08/05 15:06
		-	EPO; JPO;	,
			DERWENT;	
		·	IBM TDB	•
-	4	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1))	USPAT;	2003/09/29 12:44
		AND (topic NEAR2 (word\$1 keyword\$1))	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
	4	5097460 nn AND accordative	USPAT:	2003/09/29 12:44
-	1	5987460.pn. AND associative		2003/09/29 12.44
j			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	5	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND	USPAT;	2003/09/29 13:06
		(associative NEAR4 (search\$3 quer\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	849	(associative NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 13:06
į į	-		EPO; JPO;	
			DERWENT:	
			IBM TDB	
_	118	((associative NEAR4 (search\$3 quer\$4))) AND 707/\$.ccls.	USPAT;	2003/09/29 13:06
-	110	((associative IALAINT (searchips queryT))) AND 10114.0015.	EPO; JPO;	2000/03/23 10.00
			DERWENT;	
		///	IBM_TDB	0000/00/00 40 67
-	55	(((associative NEAR4 (search\$3 quer\$4))) AND 707/\$.ccls.)	USPAT;	2003/09/29 13:07
		AND ((keyword\$1 word\$1 term\$1) NEAR4 (search\$3 quer\$4))	EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
-	1	6457004.URPN.	USPAT	2003/09/29 13:09
-	26	("4734848" "4992972" "5257186" "5331554" "5544352"	USPAT	2003/09/29 13:10
		"5598557" "5606690" "5713016" "5732260" "5754938"		
		"5754939" "5794178" "5798752" "5832494" "5838965"		
		"5845278" "5893087" "5911138" "5933822" "5933827"		
		"5963205" "5987460" "6012053" "6029195" "6175830"		
i l		"6182065").PN.	l	

Search History 3/18/04 7:35:13 PM Page 1

-	31	5845278.URPN.	USPAT	2003/09/29 13:20
-	6	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND	USPAT;	2003/09/29 13:35
		associative	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	6	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT;	2003/09/29 16:08
		AND associative) AND database\$1	EPO; JPO:	
		,	DERWENT;	
			IBM TDB	
_	11433	707/\$.ccls.	USPAT:	2003/09/29 16:09
		1011,4100.01	EPO; JPO;	
			DERWENT:	
		·	IBM TDB	
_	7	707/\$.ccls. AND ((associative NEAR2 (search\$3 quer\$4))	USPAT;	2003/09/29 16:11
		NEAR6 document\$1)	EPO; JPO;	
·		THE THO GOODING TY	DERWENT:	
			IBM_TDB	
	339	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))	USPAT:	2003/09/29 16:15
	555	((Similaryo ME) 114 documento i) 1427 110 (coarcino querty)	EPO; JPO;	2000/00/20 10:10
			DERWENT;	
			IBM_TDB	
	153	(((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4)))	USPAT;	2003/09/29 16:11
-	193	AND 707/\$.ccls.	EPO; JPO;	2000/00/20 10.11
1		NIND I VII 4.003.	DERWENT;	
			IBM_TDB	i
	145	////cimilar\$5 NEAD4 document\$1\ NEAD6 (coorch\$2 aug-\$4\\\	USPAT;	2003/09/29 16:15
-	145	((((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4)))		2003/09/29 16.15
i		AND 707/\$.ccls.) AND ((search\$3 quer\$4) NEAR4 (keyword\$1	EPO; JPO;	
		word\$1 term\$1))	DERWENT;	
	440	(//civilends or steeds) NEADA de como estad. NEADA (concepta)	IBM_TDB	2002/00/20 46:45
-	416	(((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3	USPAT;	2003/09/29 16:15
		quer\$4))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	282	((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6	USPAT;	2003/09/29 16:15
		(search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4	EPO; JPO;	
		(keyword\$1 word\$1 term\$1))	DERWENT;	
			IBM_TDB	
-	13	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6	USPAT;	2003/09/29 16:16
		(search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4	EPO; JPO;	
		(keyword\$1 word\$1 term\$1))) AND ((select\$4 choos\$3)	DERWENT;	
		NEAR4 databases)	IBM_TDB	
-	10	document\$1 NEAR4 as NEAR4 query	USPAT;	2003/09/29 18:24
			EPO; JPO;	
			DERWENT;	
		L. I. LIERBAY LES ANS	IBM_TDB	0000/00/00 10 0=
-	2589	(subsequent NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 16:27
			EPO; JPO;	
		·	DERWENT;	
		LA CHEADA CAN MENDAMENTAL CONTRACTOR CONTRAC	IBM_TDB	0000/00/00 10 0=
-	73	(subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1	USPAT;	2003/09/29 16:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- .	48	((subsequent NEAR4 (search\$3 quer\$4)) NEAR8	USPAT;	2003/09/29 16:27
		document\$1) AND 707/\$.ccls.	EPO; JPO;	,
			DERWENT;	
	_		IBM_TDB	
-	50	document\$1 NEAR4 as NEAR4 (quer\$4 search\$3)	USPAT;	2003/09/29 16:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	document\$1 ADJ4 as ADJ4 (quer\$4 search\$3)	USPAT;	2003/09/29 16:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	51	(document\$1 NEAR4 (subsequent NEAR4 (search\$3	USPAT;	2003/09/29 18:03
		quer\$4)))	EPO; JPO;	
			DERWENT;	
	450	(IBM_TDB	2002/00/00 40-04
-	153	(result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT;	2003/09/29 18:04
			EPO; JPO;	
*			DERWENT;	
			IBM_TDB	0000/00/00 40 00
-	4	(document\$1 NEAR6 result\$1 NEAR4 (subsequent NEAR4	USPAT;	2003/09/29 18:09
		(quer\$4,search\$3)))	EPO; JPO;	
			DERWENT;	
		(-in-il-man NEADA de como coda) NEADA (IBM_TDB	0000/00/00 40:40
. -	2	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	USPAT;	2003/09/29 18:10
		NEAR4 subsequent	EPO; JPO;	
			DERWENT;	
	307	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	IBM_TDB USPAT;	2003/09/29 18:10
-	307	(Similar po NEAR4 documento i) NEAR4 (Search po quer p4)		2003/09/29 16.10
			EPO; JPO; DERWENT;	
1	63	(/cimilar\$6 NEAD4 document\$4) NEAD4 (coerab\$2 aug-\$4)	IBM_TDB	2003/09/29 18:11
-	63	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)) AND (document\$1 NEAR2 vector\$1)	USPAT;	2003/08/28 10.11
		AND (GOOGINGING)	EPO; JPO; DERWENT;	
			IBM_TDB	
	46	///cimilar\$6 NEAD4 document\$1) NEAD4 (coorch\$3 guar\$4) \	USPAT;	2003/09/29 18:12
-	40	(((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)) AND (document\$1 NEAR2 vector\$1)) AND 707/\$.ccls.	EPO; JPO;	2003/03/23 10.12
	'	AND (documents) NEANZ Vectors)) AND 10114.ccis.	DERWENT;	
			IBM_TDB	
_	397	(refine NEAR4 (search\$3 quer\$4))	USPAT;	2003/09/29 18:13
	337	(Tellile NEATH (Search to quelty))	EPO; JPO;	2003/03/23 10.13
			DERWENT;	
			IBM_TDB	
_	74	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4	USPAT;	2003/09/29 18:13
	'-	(search\$3 quer\$4))	EPO; JPO;	2000/00/20 10:10
			DERWENT:	
			IBM_TDB	
_	3	(((refine NEAR4 (search\$3 quer\$4))) AND (subsequent	USPAT;	2003/09/29 18:16
	1	NEAR4 (search\$3 quer\$4))) AND (document\$1 NEAR2	EPO; JPO;	
		vector\$1)	DERWENT;	
		· ,	IBM_TDB	
-	0	(document\$1 ADJ6 as) ADJ6 quer\$4	USPAT;	2003/09/29 18:19
		, ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	171	document\$1 WITH as WITH quer\$4	USPAT;	2003/09/29 18:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	140	(document\$1 WITH as WITH quer\$4) AND 707/\$.ccls.	USPAT;	2003/09/29 18:19
]		EPO; JPO;	
]		DERWENT;	
	_	(de ourse out 0.4 A.D. 10. oo.) \AUT!	IBM_TDB	0000/00/00 10 01
-	5	(document\$1 ADJ6 as) WITH quer\$4	USPAT;	2003/09/29 18:21
		•	EPO; JPO;	
		•	DERWENT;	
<u> </u>	12	document\$1 NEAR4 as NEAR4 quar\$4	IBM_TDB USPAT;	2003/09/29 18:25
-	'4	document\$1 NEAR4 as NEAR4 quer\$4	EPO; JPO;	2003/09/29 18:25
			DERWENT;	
]		IBM_TDB	
<u>-</u>	42	document\$1 NEAR6 as NEAR6 quer\$4	USPAT	2003/09/29 18:29
<u>-</u>	75	6457004.pn.	USPAT;	2003/09/29 16.29 2003/09/30 14:54
	*	σ το το τ.μπ.	EPO; JPO;	200000000 17.04
]		DERWENT;	
		•	IBM_TDB	

-	1	6457004.pn. AND content\$1	USPAT;	2003/09/30 15:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6457004.pn. AND boolean	USPAT;	2003/09/30 16:33
			EPO; JPO;	
		r	DERWENT;	
		•	IBM_TDB	
-	1	6457004.pn. AND summar\$4	USPAT;	2003/09/30 16:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	5987460.pn. 6457004.pn.	USPAT;	2003/09/30 17:17
			EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	0004404404
-	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8) NEAR4 (quer\$4	USPAT;	2004/03/16 14:09
		search\$3)) NEAR8 syntactic\$4	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/40 4 4 0 :
-	12648	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:24
		NEAR4 (quer\$4 search\$3))	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	00041004454445
-	1644	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:10
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
		database\$1)	DERWENT;	
			IBM_TDB	
-	960	((((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:10
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
·		database\$1)) AND 707/\$.ccls.	DERWENT;	
			IBM_TDB	
-	60	(((((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:16
		NEAR4 (quer\$4 search\$3))) AND (select\$3 NEAR4	EPO; JPO;	
-		database\$1)) AND 707/\$.ccls.) AND ((search\$3 quer\$4)	DERWENT;	
		NEAR4 (multiple pluralit\$4) NEAR4 databases)	IBM_TDB	
-	28	707/\$.ccls. AND ((search\$3 quer\$4) NEAR4	USPAT;	2004/03/16 14:17
		(heterogeneous\$2) NEAR4 databases)	EPO; JPO;	
			DERWENT;	
		(TOTIO AND (() ADD () AND AND A	IBM_TDB	0004/00/46 44:47
-	22	(707/\$.ccls. AND ((search\$3 quer\$4) NEAR4	USPAT;	2004/03/16 14:17
		(heterogeneous\$2) NEAR4 databases)) AND (((construct\$4	EPO; JPO;	
		build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4	DERWENT;	
		search\$3)))	IBM_TDB	2004/02/46 44:24
-	150	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 14:24
		NEAR4 (quer\$4 search\$3)) NEAR8 boolean	EPO; JPO;	
]		DERWENT;	
	100	//	IBM_TDB USPAT;	2004/03/16 15:21
-	132	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)		2004/03/10 13.21
		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	
		semantic\$4)	DERWENT; IBM_TDB	
	10	///annaturated huilded annatéd aditéd madiféd farmulatéd!	USPAT:	2004/03/16 14:27
-	16	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	,	2004/03/10 14.2/
		NEAR4 (quer\$4 search\$3)) NEAR8 boolean) AND	EPO; JPO;	
		(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	DERWENT;	[
		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	IBM_TDB	
		semantic\$4))	USPAT;	2004/03/16 15:12
_	2	(database\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4	EPO; JPO;	2004/03/10 13.12
		only NEAR4 boolean)	DERWENT;	
			IBM_TDB	
	_	(ongine \$1 NEADS (accout\$3 process\$3 evecut\$3) NEADA	USPAT;	2004/03/16 15:12
-	0	(engine\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4	EPO; JPO;	2007/03/10 13.12
		only NEAR4 boolean)	DERWENT;	
			IBM_TDB	
	J		1 10141 1 00	L

		•	•	
-	0	(server\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO;	2004/03/16 15:12
		THE WAY BOOKS AND THE PROPERTY OF THE PROPERTY	DERWENT; IBM_TDB	
	9	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:42
		NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	
'		semantic\$4) NEAR10 (engine\$1)	DERWENT;	
,	12	5982370.uref.	IBM_TDB USPAT;	2004/03/16 15:41
	'-	0002010.0101.	EPO; JPO;	200 1100 10.11
			DERWENT;	
	0	(((construct\$4 build\$2 crost\$2 adit\$2 modif\$9 formulat\$4)	IBM_TDB USPAT;	2004/03/16 15:43
-	"	(((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3	EPO; JPO;	2004/03/16 15.43
		semantic\$4)) AND 5982370.uref.	DERWENT;	
			IBM_TDB	
-	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4)	USPAT;	2004/03/16 15:42
		NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND 5982370.uref.	EPO; JPO; DERWENT;	
		0002070.0101.	IBM TDB	
-	0	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT;	2004/03/16 15:43
		semantic\$4)) AND 5982370.uref.	EPO; JPO;	
			DERWENT; IBM TDB	
_	103	(quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	USPAT:	2004/03/16 15:44
		semantic\$4) NEAR8 (engine\$1)	EPO; JPO;	
			DERWENT;	
	77	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3	IBM_TDB USPAT;	2004/03/16 15:43
l -	//	semantic\$4) NEAR8 (engine\$1)) AND 707/\$.ccls.	EPO; JPO;	2004/03/10 13.43
		,	DERWENT;	
		//	IBM_TDB	
-	27	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)) NEAR8 (user\$1 human\$1)	USPAT; EPO; JPO;	2004/03/16 16:02
		Semantic 44) NEARO (engine 41)) NEARO (user 41 human 41)	DERWENT:	
			IBM_TDB	
-	39	((modif\$8 edit\$4 chang\$3) NEAR4 (boolean NEAR2	USPAT;	2004/03/16 16:05
		expression\$1))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	4	((confirm\$4) NEAR4 (boolean NEAR2 expression\$1))	USPAT;	2004/03/16 16:07
			EPO; JPO;	
			DERWENT;	
_	63	(search ADJ1 engine\$1) NEAR8 (syntactical\$2 syntax\$3	IBM_TDB USPAT;	2004/03/16 17:39
	30	semantic\$4)	EPO; JPO;	2004/00/10 17:00
			DERWENT;	
			IBM_TDB	